

Dam: Houay LaNge

Country Laos

River Houaylange

15°48'16.2"N 107°8'13.2"E

15.8045 107.137001

Owner/Client Houay LaNge Power Co. Ltd. (JV of China-based Hebei Construction and Investment Group Co., Ltd (HCIG) and CS Energy (Laos))

Designer/Engineer PowerChina Sinohydro Construction Bureau N°10 (EPC)

Contractor PowerChina Sinohydro Construction Bureau N°10 (EPC)

Purpose (code) H

Site start 01.02.2018

RCC start 01.01.2020

RCC completion 31.12.2022

Site completion 02.05.2023

Height (m) 59

Length (m) 174

Volume of RCC (m³x10³) Unknown

Total volume (m³x10³) Unknown

Reservoir capacity (m³x10⁶) 14

Upstream slope V

Forming of upstream face (code) (3')

Downstream slope Unknown

Forming of downstream face (code) (3') *

Spillway slope Unknown

Forming of spillway face (code) (12)

Depth of layers (mm) Unknown

Depth of lifts (mm) Unknown

Cement content (kg/m³) Unknown

Pozzolan content (kg/m³) Unknown

Code for pozzolan Unknown

RCCDAM Unique Serial No. RCCDAM1111

Completed Dam



RCCDAM1111CD

Google Earth



RCCDAM1111GE

Guide to Abbreviations

Purpose

- E Environmental
- F Flood control
- G Groundwater recharge
- H Flood control
- I Irrigation
- N Navigation
- P Pollution control
- R Recreation
- W Water supply

Facing method

- (1) Traditional concrete against formwork
- (2) Traditional concrete against formwork with external geomembrane
- (3) RCC against formwork
- (4) RCC against formwork with external geomembrane
- (5) Traditional concrete against precast concrete panels
- (6) Traditional concrete against precast concrete panels with geomembrane
- (7) RCC against precast concrete panels
- (8) RCC against precast concrete panels with geomembrane
- (9) RCC against precast concrete panels with hot poured membrane
- (10) RCC against precast concrete blocks
- (11) Reinforced conventional concrete cast before RCC placement
- (12) Reinforced conventional concrete cast after RCC placement
- (13) Reinforced concrete cast against precast units or slip-formed facing elements
- (14) Slip-formed/extruded facing elements
- (15) RCC supported by fill shoulders
- (16) Mechanically compacted unformed face of RCC
- (17) Unformed face of RCC
 - ' GEVR/GE-RCC
 - * Stepped face

Pozzolans

- (-) No Pozzolan Used
- (C) High-lime flyash (ASTM Class C)
- (F) Low-lime flyash (ASTM Class F)
- (M) Milled sand
- (N) Natural pozzolan (ASTM Class N)
- (R) ROLAC (mixture of flyash and slag with or without limestone fines)
- (S) Ground-granulated blast-furnace slag
- (L) Mixture of GGBFS and limestone fines